

Printing date 11.06.2024 Revision: 11.06.2024

## 1 Identification

- · Product identifier
- · Trade name: Opalescence<sup>TM</sup> Boost Activator Gel
- · Article number: SDS 196-001.10R01, 71087, 14094, 14241
- · Relevant identified uses of the substance or mixture and uses advised against

Professional Dental Tooth Whitening Activator

- · Application of the substance / the mixture Professional Dental Tooth Whitening Activator
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd.

Level 22/2 Market Street

Sydney NSW 2000

Australia

Email: info.anz@ultradent.com Toll Free: 1-800-290929

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

## 2 Hazard(s) Identification

· Classification of the substance or mixture



flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS03, GHS05, GHS07

(Contd. on page 2)

*Printing date 11.06.2024 Revision: 11.06.2024* 

Trade name: Opalescence<sup>TM</sup> Boost Activator Gel

(Contd. of page 1)

#### · Signal word Danger

#### · Hazard-determining components of labelling:

Potassium Hydroxide

Sodium Fluoride

#### · Hazard statements

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

*P321* Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
56-81-5	Glycerin	>40-<60%	
	♦ Serious eye damage/irritation – Category 2A, H319		
7757-79-1	Potassium Nitrate	>10-<30%	
	© Ox. Sol. 2, H272; (1) Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319; STOT SE 3, H335-H336		
	Potassium Hydroxide	>10->20%	
	♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302		
7681-49-4	Sodium Fluoride	>1-<10%	
	Acute Tox. 3, H301; Acute Tox. 2, H310; � Skin Irrit. 2, H315; Serious eye damage/irritation — Category 2A, H319		
	Dimethicone	<1%	
	<b>♦</b> Repr. 2, H361f; STOT RE 2, H373		

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

· General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Printing date 11.06.2024 Revision: 11.06.2024

Trade name: Opalescence<sup>TM</sup> Boost Activator Gel

(Contd. of page 2)

#### · After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do NOT induce vomiting.

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire Fighting Measures

· Suitable extinguishing agents:

Water mist

Foam, dry chemical, carbon dioxide

Water fog

Water spray

*Use fire extinguishing methods suitable to surrounding conditions.* 

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ΑU

Printing date 11.06.2024 Revision: 11.06.2024

Trade name: Opalescence<sup>TM</sup> Boost Activator Gel

(Contd. of page 3)

## 7 Handling and Storage

- · Handling:
- · Precautions for safe handling:

Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN).

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from flammable substances.
- · Further information about storage conditions:

See product labelling.

Keep container tightly sealed.

· Specific end use(s) Professional Dental Tooth Whitening Activator

## 8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

#### · Ingredients with limit values that require monitoring at the workplace:

#### 56-81-5 Glycerin

TWA Short-term value: 10 mg/m³
WES Long-term value: 10 mg/m³
inhalable dust

#### Potassium Hydroxide

WES Peak limitation: 2 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

*Printing date 11.06.2024 Revision: 11.06.2024* 

Trade name: Opalescence<sup>TM</sup> Boost Activator Gel

(Contd. of page 4)

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

### 9 Physical and Chemical Properties

· General Information

· Appearance:

· Form: Gel

· Colour: Orange to Dark Red

Odour: OdourlessOdour threshold: Not determined.

• pH-value at 20 °C: >12

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range:
 Flash point:
 Flammability (solid, gas):
 Decomposition temperature:
 Undetermined.
 Not applicable.
 Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
 Upper: Not determined.
 Vapour pressure: Not determined.
 Density at 20 °C: 1.37 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

• water: Fully miscible. • Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

• Other information No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity Stable
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · **Possibility of hazardous reactions:** No dangerous reactions known.
- · Conditions to avoid:

Heat

(Contd. on page 6)

Printing date 11.06.2024 Revision: 11.06.2024

Trade name: Opalescence<sup>TM</sup> Boost Activator Gel

(Contd. of page 5)

- Moisture
- · Incompatible materials:

Organic materials

Metals

Acids

· Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

	50 values relevant for cla	ssificutori.	
ATE (A	cute Toxicity Estimates)		
Oral	LD50	428 mg/kg	
Dermal	LD50	2,059 mg/kg (rat)	
56-81-5 Glycerin			
Oral	LD50	7,750 mg/kg (Guinea pig)	
		4,100 mg/kg (mouse)	
		5,570 mg/kg (rat)	
		27,000 mg/kg (rabbit)	
	LC50 Fish	>5,000 mg/l (Fish)	
Dermal	LD50	>21,900 mg/kg (rat)	
		10,000 mg/kg (rabbit)	
7757-79	9-1 Potassium Nitrate		
Oral	LD50	3,015 mg/kg (rat)	
		1,901 mg/kg (rabbit)	
	LC50 Fish	1,378 mg/l (Fish)	
Dammal	LD50	>5,000 mg/kg (rat)	
Dermai	LC50(Daphnia magna)	490 mg/l (daphnia)	
Dermai			
	um Hydroxide		
Potassii	LD50	214 mg/kg (rat)	
Potassii		214 mg/kg (rat) 80 mg/l (Fish)	
<b>Potassit</b> Oral	LD50		
<b>Potassii</b> Oral <b>7681-4</b> 5	LD50 LC50 Fish		
<b>Potassit</b> Oral	LD50 LC50 Fish <b>D-4 Sodium Fluoride</b>	80 mg/l (Fish)	

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 11.06.2024 Revision: 11.06.2024

Trade name: Opalescence<sup>TM</sup> Boost Activator Gel

(Contd. of page 6)

· Aspiration hazard Based on available data, the classification criteria are not met.

### 12 Ecological Information

· Toxicity

· Aquatic toxicity:	
56-81-5 Glycerin	
EC50	>10,000 mg/kg (Bacteria)
7681-49-4 Sodium Fla	uoride
EC50	272 mg/kg (Algae)
	98 mg/kg (daphnia)
Algae Toxicity (static)	7 mg/l (Algae)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· UN-Number	
· ADG, IMDG, IATA	UN3093
· UN proper shipping name	
$\cdot ADG$	3093 CORROSIVE LIQUID, OXIDIZING, N.O.S
	(POTASSIUM HYDROXIDE)
· IMDG, IATA	CORROSIVE LIQUID, OXIDIZING, N.O.S. (POTASSIUM
	HYDROXIDE)

on page (

Printing date 11.06.2024 Revision: 11.06.2024

 $\textit{Trade name: Opalescence}^{\text{TM}} \textit{ Boost Activator Gel}$ 

<b>T</b>	(Contd. of pa
Transport hazard class(es)	
ADG	
8 51	
Class	8 Corrosive substances.
Label	8+5.1
IMDG	
<u></u>	
Class	8 Corrosive substances.
Label	8/5.1
IATA	
Class	8 Corrosive substances.
Label	8 (5.1)
Packing group ADG, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code):	Warning: Corrosive substances. 85
EMS Number:	F-A,S-Q
Segregation groups	(SGG18) Alkalis
Stowage Category	E
Transport in bulk according to Annex II of Marp	pol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 500 ml 2
Tunnel restriction code	E E
IMDG	
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	(Contd. on pa

Printing date 11.06.2024 Revision: 11.06.2024

Trade name: Opalescence<sup>TM</sup> Boost Activator Gel

(Contd. of page 8)

· UN "Model Regulation":

UN 3093 CORROSIVE LIQUID, OXIDIZING, N.O.S. (POTASSIUM HYDROXIDE), 8 (5.1), II

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· NIOSH-Ca (National Institute for Occupational Safety and Health)		
None of the ingredients is listed.		
· Australian Inventory of Industrial Chemicals		
	Glycerin	
7757-79-1	Potassium Nitrate	
	Potassium Hydroxide	
7681-49-4	Sodium Fluoride	

#### · Standard for the Uniform Scheduling of Medicines and Poisons

Potassium Hydroxide S5, S6, S10

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

7235-40-7 Trans Beta Carotene

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases from Section 3

H272 May intensify fire; oxidizer.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 10)

Printing date 11.06.2024 Revision: 11.06.2024

### Trade name: Opalescence<sup>TM</sup> Boost Activator Gel

(Contd. of page 9)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

Ox. Liq. 2: Oxidizing liquids - Category 2

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

AU ·

<sup>\* \*</sup> Data compared to the previous version altered.