

Date of issue: 28.02.2025

Revision: 28.02.2025

1 Identification

• Other means of identification

- · Trade name: PeakTM SE Primer (Part 1 of 2)
- · Article number: SDS 69-001.12R01, 15076, 35016
- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Ultradent Products, Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd. Level 22/2 Market Street Sydney NSW 2000 Australia Email: info.anz@ultradent.com Toll Free: 1-800-290929

 Further information obtainable from: Customer Service
 Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

Date of issue: 28.02.2025

Revision: 28.02.2025

Trade name: PeakTM SE Primer (Part 1 of 2)

			(Contd. of page 1)
Skin sensitisatio	on – Category 1	H317 May cause an allergi	zic skin reaction.
· Label elements · GHS label elem · Hazard pictogr · Signal word Da	ams GHS02, GHS05,	, GHS07, GHS08	
Trade Secret (≥ 2-Hydroxyethyl	ining components of 10-<20 %) Methacrylate (10-<2 ylamino Benzoate (≥1	30 %)	
Hazard stateme H226 Flammab H314 Causes se H317 May caus		eye damage. action.	
· Precautionary		oorn enna.	
P101 P102 P103	If medical advice Keep out of reac Read label befor	e use.	
P210 P303+P361+P			urfaces. No smoking. ediately all contaminated clothing. Rinse skin
P305+P351+P		inse cautiously with water for to do. Continue rinsing.	or several minutes. Remove contact lenses, if
P310 P321 P362+P364 P405 P501	Immediately call Specific treatmer Take off contami Store locked up.	l a POISON CENTER/doctor. nt (see on this label). inated clothing and wash it befo	fore reuse. se with local/regional/national/international

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

64-17-5	Ethyl Alcohol	≥30-≤60%
	Flammable liquids – Category 2, H225; (Eye damage/irritation – Category 2A, H319	
868-77-9	2-Hydroxyethyl Methacrylate	10-<30%
	 Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Skin sensitisation – Category 1, H317 	
	Trade Secret	≥5-<10%
	\Leftrightarrow Skin corrosion/irritation – Category 1A, H314; Eye damage/irritation – Category 1, H318	
	Trade Secret	≥5-<10%
	😔 Skin corrosion/irritation – Category 1A, H314	
0287-53-3	Ethyl-4-Dimethylamino Benzoate	≥0.3-<10%
	🚸 Reproductive toxicity – Category 1B, H360	
	Irgacure 819	≥0.1-<1%
	😯 Skin sensitisation – Category 1, H317	

Date of issue: 28.02.2025

Revision: 28.02.2025

Trade name: PeakTM SE Primer (Part 1 of 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Seek medical treatment in case of complaints.
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Do NOT induce vomiting.
- Rinse mouth with water.
- Drink plenty of water and provide fresh air. Call for a doctor immediately.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire Fighting Measures

- Suitable extinguishing agents:
- Carbon dioxide Dry Chemical Foam
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters:

General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

- Protective equipment:
- *Wear fully protective suit. Mouth respiratory protective device.*

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralising agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
-	(Contd. on page 4)

Date of issue: 28.02.2025

Revision: 28.02.2025

(Contd. of page 3)

Trade name: PeakTM SE Primer (Part 1 of 2)

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- **Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- *Open and handle receptacle with care. Prevent formation of aerosols.*
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Keep respiratory protective device available.

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Appropriate engineering controls No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 Ethyl Alcohol

WES Long-term value: 1880 mg/m³, 1000 ppm

· Additional information: The lists valid during the making were used as basis.

· Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

- AU

Date of issue: 28.02.2025

Revision: 28.02.2025

(Contd. of page 4)

Trade name: PeakTM SE Primer (Part 1 of 2)

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

General Information	
Appearance:	
Form:	Liquid
Colour:	Yellow
Odour:	Methacrylate
Odour threshold:	Not determined.
pH-value at 20 °C:	0.9-1.5
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	<27 °C
Flammability	Flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapor
	mixtures are possible.
Explosion limits:	-
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	552 hPa
Density at 20 °C:	1.015 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	
Particle characteristics	Not applicable.
Physical state	Fluid

(Contd. on page 6)

Date of issue: 28.02.2025

Revision: 28.02.2025

Trade name: PeakTM SE Primer (Part 1 of 2)

(Contd. of page 5)

10 Stability and Reactivity

• *Reactivity Polymerization occurs when exposed to visible light, ultraviolet light or extreme heat.*

- · Thermal decomposition / conditions to be avoided: Stable under recommended storage conditions
- · Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid:

Direct Light

Heat

Flames Void

v oiu

Not applicable

- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

	LD/LC50 values relevant for classification:		
64-17-5 E	64-17-5 Ethyl Alcohol		
Oral LD50		5,600 mg/kg (guinea pig)	
		3,400 mg/kg (mouse)	
		7,060 mg/kg (rat)	
	LC50 Fish	>10,000 mg/l (Fish)	
Inhalative	LC50/4 h	39 mg/l (mouse)	
		20,000 mg/l (rat)	
868-77-92	2-Hydroxyethyl Methacr	ylate	
Oral	LD50	3,275 mg/kg (mouse)	
		>5,000 mg/kg (rat)	
	LC50 Fish	>100 mg/l (Fish)	
Dermal	LD50	>3,000 mg/kg (rabbit)	
	LC50(Daphnia magna)	24.1 mg/l (daphnia)	
Irgacure 819			
Oral	LD50	>2,000 mg/kg (rat)	
	LC50 Fish	>0.09 mg/l (Fish) (Toxicity to fish)	
Dermal	LD50	>2,000 mg/kg (rat)	

· Primary irritant effect:

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

• **Respiratory or skin sensitisation** May cause an allergic skin reaction.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity May damage fertility or the unborn child.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

AU

Date of issue: 28.02.2025

· ADG, IMDG, IATA

Revision: 28.02.2025

Trade name: PeakTM SE Primer (Part 1 of 2)

(Contd. of page 6)

Aquatic toxicity:		
64-17-5 Ethyl Alcohol		
Algae Toxicity	1,000 mg/l (Algae)	
868-77-9 2-Hydroxyethyl Methac	crylate	
EC50	345 mg/kg (Algae)	
Irgacure 819	•	
EC50 (static)	>1.175 mg/kg (daphnia) (Toxicity to aquatic invertebrates)	
Aqua toxicity	≥0.008 mg/l (daphnia) (Daphnia Magna Reproduction Test)	
Toxicity to Aquatic Plants (static)	>0.26 mg/l (Plant) (Toxicity to algae)	
 Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so tha after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. 		
Other adverse effects No further in Disposal considerations Waste treatment methods Recommendation		
Other adverse effects No further of Disposal considerations Waste treatment methods Recommendation Dispose of contents/container in a Uncleaned packaging: Recommendation: Disposal must	accordance with international, federal, state, and local regulations. be made according to official regulations. Water, if necessary together with cleansing agents.	

UN proper shipping name· ADG· IMDG, IATA2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S.
(PHOSPHORUS PENTOXIDE, Ethyl Alcohol)
CORROSIVE LIQUID, FLAMMABLE, N.O.S.
(PHOSPHORUS PENTOXIDE, Ethyl Alcohol)

UN2920

(Contd. on page 8)

AU

Date of issue: 28.02.2025

Revision: 28.02.2025

Trade name: PeakTM SE Primer (Part 1 of 2)

	(Contd. of p
Transport hazard class(es)	
4DG	
Class	8 Corrosive substances.
Label	8+3
IMDG	
Class	8 Corrosive substances.
Label	8 Corrosive substances. 8/3
	0,5
ATA	
Class	8 Corrosive substances.
Label	8 (3)
Packing group	
ADG, ĬMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	83
EMS Number:	F-E,S-C
Segregation groups	(SGG1) Acids
Stowage Category	C
Stowage Code	SW1 Protected from sources of heat.
0	SW2 Clear of living quarters.
Transport in bulk according to Annex II of Marp	
and the IBC Code	Not applicable.
Transport/Additional information:	
· ·	
4DG	17
Limited quantities (LQ)	1L Code: E2
Excepted quantities (EQ)	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport catagory	Maximum net quantity per outer packaging: 500 ml 2
Transport category Tunnel restriction code	2 D/E
IMDG	
Limited quantities (LQ)	1L
	(Contd. on p

Date of issue: 28.02.2025

Revision: 28.02.2025

Trade name: PeakTM SE Primer (Part 1 of 2)

	(Contd. of page 8)
• Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (PHOSPHORUS PENTOXIDE, ETHYL ALCOHOL), 8 (3), II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

·NIOSH-Ca (National Institute for Occupational Safety and Health)

Australian I	nventory of Industrial Chemicals	
64-17-5	Ethyl Alcohol	
868-77-9	2-Hydroxyethyl Methacrylate	
26570-48-9	Poly(ethylene glycol) Diacrylate	
	Trade Secret	
10287-53-3	Ethyl-4-Dimethylamino Benzoate	
	Irgacure 819	
579-07-7	1-Phenylpropane-1,2-dione	
10373-78-1	Camphorquinone	
8013-76-1	Bitter almond oil	
95-71-6	Methylhydroquinone	
Standard fo	r the Uniform Scheduling of Medicines and Poisons	
868-77-9 2-	Hydroxyethyl Methacrylate	S
Australia: P	Priority Existing Chemicals	۰ ۱
None of the	ingredients is listed.	

· Seveso category P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases from Section 3

H225 Highly flammable liquid and vapour.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

(Contd. on page 10)

AU

Date of issue: 28.02.2025

Revision: 28.02.2025

Trade name: PeakTM SE Primer (Part 1 of 2)

Department issuing SDS: Environmental, Health, and Safety Contact: Customer Service Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) UC50: Lethal concentration, 50 percent ID50: Lethal dose, 50 percent PD51: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 1: Serious eye damage/eye irritation – Category 1 Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 1 Eye damage/irritation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B		(Contd. of page 9
Contact: Customer Service Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DS50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative VIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 14: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 12: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Skin sensitisation – Category 1 Eye damage/irritation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Reproductive toxicity – Category 1 Reproductive toxicity – Category 1: Reproductive toxicity – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	H360 May damage fertility or the unborn child.	
Abbreviations and acronyms: ADR: Accord relaif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IAS: Chemical Abstracts Service (division of the American Chemical Society) ICS0: Lethal concentration, 50 percent PDT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 2: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	Department issuing SDS: Environmental, Health, and Safety	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 1 Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Exe damage/irritation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1B	Contact: Customer Service	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 1 Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Exe damage/irritation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1: Skin sensitisation – Category 1B	Abbreviations and acronyms:	
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 14: Skin corrosion/irritation – Category 1 Skin corrosion/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 11: Skin sensitisation – Category 1 Eye damage/irritation – Category 11: Skin sensitisation – Category 1 Skin sensitisation – Category 11: Skin sensitisation – Category 1 Skin sensitisation – Category 11: Skin sensitisation – Category 18 Skin sensitisation – Category 11: Skin sensitisation – Category 18		route (European Agreement Concerning the Internation
 IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ELINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DBO: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 1: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2A Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B 	Carriage of Dangerous Goods by Road)	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Busel Shin sensitisation – Category 1: Skin sensitisation – Category 1 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Skin sensitisation – Category 1B: Reproductive toxicity – Category 1B	IMDG: International Maritime Code for Dangerous Goods	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	IATA: International Air Transport Association	
CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	EINECS: European Inventory of Existing Commercial Chemical Substances	
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 1: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	ELINCS: European List of Notified Chemical Substances	
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	LC50: Lethal concentration, 50 percent	
 vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 2: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Serious eye damage/eye irritation – Category 2 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B 	LD50: Lethal dose, 50 percent	
NIOSH: National Institute for Occupational Safety Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 2A: Serious eye damage/eye irritation – Category 2A Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	PBT: Persistent, Bioaccumulative and Toxic	
Flammable liquids – Category 2: Flammable liquids – Category 2 Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 2: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Serious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	vPvB: very Persistent and very Bioaccumulative	
Flammable liquids – Category 3: Flammable liquids – Category 3 Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B	NIOSH: National Institute for Occupational Safety	
Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B		
Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2 Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B		
Eye damage/irritation – Category I: Serious eye damage/eye irritation – Ćategory I Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A Skin sensitisation – Category I: Skin sensitisation – Category I Reproductive toxicity – Category IB: Reproductive toxicity – Category IB		
Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B		
Skin sensitisation – Category 1: Skin sensitisation – Category 1 Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B		
Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B		y 2A
* Data compared to the previous version altered.		
	* Data compared to the previous version altered.	